

FIG. 2






FIG. 3








FIG. 6

<b>FimeSent</b>	TimeReceived	Latency
0	13	3
1	19	8
2	18	6

FIG. 7

TimeSent	TimeReceived	Latency	1283
0	3	3	]
1	9	8	
2	8	6	]

FIG. 8


TimeSent	TimeReceived	Latency	1284
0	0	0	
1	6	5	
2	5	3	

FIG. 9

· Series1 201 401 601 801 1001 1201 1401 1601 1801 Latency (x 100 nanoseconds) 10000000 -- 0000009 2000000 12000000 8000000 18000000 16000000 14000000 4000000


**Packet Time Normalized** 


FIG. 10



**Packet Time Normalized** 

# FIG. 11











FIG. 15










FIG. 18

FIG. 19

Timestamp Buffer (1801 if on sender, 1802 if on receiver)

Timestamp <u>1907</u>	
IP ID 1906	
Network Protocol <u>1905</u>	
Receiver IP Port <u>1904</u>	
Sender IP Receiver IP Receiver IP Port Address Port 1902 1903 1904	
Sender IP Port <u>1902</u>	
Sender IP Address 1901	

## FIG. 20A

#### Sender Timestamp Buffer

1801

IP ID 1906	Timestamp 1907
0xFFFC	23
0xFFFD	24
0xFFFE	29
0xFFFF	32
0x0000	48
0x0001	51
0x0002	52
0x0003	79

#### FIG. 20B

#### Receiver Timestamp Buffer

1802

IP ID 1906	Timestamp 1907
0x0000	3
0x0003	8
0x0001	9
0xFFFE	12
0xFFFF	28
0xFFFC	31

FIG. 20C

## Receiver Timestamp Buffer

1802

IP ID 1906	Timestamp 1907
0x0000	3
0x0001	9
0x0003	8
0xFFFE	12
0xFFFF	28
0xFFFC	31

### FIG. 20D

## Receiver Timestamp Buffer


1802

IP ID 1906	Timestamp 1907
0x0000	3
0x0001	9
0x0003	8
0xFFFC	31
0xFFFE	12
0xFFFF	28

FIG. 20E

#### Receiver Timestamp Buffer \_\_\_\_\_ 1802

IP ID 1906	Timestamp 1907	
0xFFFC	31	
0xFFFE	12	
0xFFFF	28	
0x0000	3	
0x0001	9	
0x0003	8	






FIG. 22
Associated Timestamp Records

Packet Flow Identifier	IP ID	Sender	Receiver
1901-1905	<u>1906</u>	Timestamp	Timestamp
	0xFFFC	23	31
	0xFFFD	24	Lost
	0xFFFE	29	12
	0xFFFF	32	28
	0x0000	48	3
	0x0001	51	9
	0x0002	52	Lost
	0x0003	79	8